



DECLARATION OF PERFORMANCE

DoP Number:

TLJ-DOP-AMER1

1. Unique identification code of the product-type:

TLJ American Electronic Lock

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

INF/PC/L/A – 60mm B/Set Radial
INF/PC/R/A – 60mm B/Set Radial
INF/PG/L/A – 60mm B/Set Radial
INF/PG/R/A – 60mm B/Set Radial
INF/SG/L/A – 60mm B/Set Radial
INF/SG/R/A – 60mm B/Set Radial
INF/SS/L/A – 60mm B/Set Radial
INF/SS/R/A – 60mm B/Set Radial

IDE/PC/L/A – 60mm B/Set Radial
IDE/PC/R/A – 60mm B/Set Radial
IDE/PG/L/A – 60mm B/Set Radial
IDE/PG/R/A – 60mm B/Set Radial
IDE/SG/L/A – 60mm B/Set Radial
IDE/SG/R/A – 60mm B/Set Radial
IDE/SS/L/A – 60mm B/Set Radial
IDE/SS/R/A – 60mm B/Set Radial

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

For use on fire and smoke compartmentation doors, when fitted in accordance with the manufacturer's fitting instructions.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required by under Article 11(5):

TLJ Group Ltd, T/A TLJ Access Control
68/78 Leads Road, Hull, East Yorkshire, HU7 0BY, United Kingdom

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N/A

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 1 – FPC & ISO9001

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

EN 14846:2008 incorporating Corrigendum No 1 Notified product certification body no. CE 1121 performed the determination of the product type on the basis of type testing (including sampling); initial inspection of the manufacturing plant and of the factory production control and continuous surveillance; assessment and evaluation of factory production control; and issued the certificate of constancy of performance of the product.

EN1634-1:2018 Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware. Fire resistance test for door and shutter assemblies and openable windows. Testing successful for both 30 minutes and 60 minutes.

8. European Technical Assessment:

Secured by Design – British Police approved accreditation based on successful PAS 24 attack test. CeritFire accredited - CFR5636

9. Declared Performance:


EN14846:2008

NPD	A	8	C	0	-	-	1	-
------------	----------	----------	----------	----------	----------	----------	----------	----------

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Mr Luke Martin
Chief Technical Officer



Date of Issue: 15th March 2021

TLJ Access Control
68/78 Leads Road, Hull
East Yorkshire, HU7 0BY
United Kingdom

